

Genus	Vol. 25(4): 673-693	Wrocław, 27 XII 2014
-------	---------------------	----------------------

Janusz PLUCIŃSKI and his Coleoptera collections in the Museum of Natural History, University of Wrocław

PAWEŁ JAŁOSZYŃSKI¹, JACEK KURZAWA², ANNA WANAT¹, MAREK WANAT¹

¹Museum of Natural History, University of Wrocław, Sienkiewicza 21, 50-335 Wrocław, Poland. E-mail: scydmaenus@yahoo.com (PJ), anna.wanat@uni.wroc.pl (AW), wanatm@biol.uni.wroc.pl (MW)


²ul. Sterlinga 2/10, 97-200 Tomaszów Mazowiecki, Poland. E-mail: jk@entomo.pl

ABSTRACT. Janusz PLUCIŃSKI (1925-1999), a professor of chemistry of the Wrocław University of Technology, was a devoted collector of longhorn beetles (Cerambycidae, Disteniidae and Vesperidae) and leaf-rolling weevils (Rhynchitidae and Attelabidae). After his death, his collections have been donated to the Museum of Natural History, University of Wrocław. They consist of 9180 specimens representing 1570 identified nominal species and subspecies; with a strong representation of Cerambycidae (1254 species and subspecies), Rhynchitidae (106 species and subspecies) and Attelabidae (202 species and subspecies). PLUCIŃSKI is a vivid example of an amateur coleopterist, whose knowledge has gained a deserved respect among entomologists and his remarkable collections have become a part of the legacy of several generations of naturalists whose specimens are preserved in the Museum of Natural History.

Key words: PLUCIŃSKI, Insecta, Coleoptera, Cerambycidae, Disteniidae, Vesperidae, Rhynchitidae, Attelabidae, longhorn beetles, weevils, collection, Wrocław University, Poland.

INTRODUCTION

Janusz PLUCIŃSKI (1925-1999) was a Polish amateur entomologist interested in selected phytophagous beetle families, whose collections belong to largest in Poland. PLUCIŃSKI spent his youth in Poznań, but moved to Wrocław just after WWII, where he studied chemistry at the Wrocław University of Technology. His entire professional career was associated with this institution, where in 1947, still as a student, he became a vice-assistant in the Department of Organic Chemistry. In 1948 PLUCIŃSKI moved to the Department of Explosive Material Technology, where he got his PhD in 1961, habilitation in 1969 and became a university professor in 1990, to retire a year later. PLUCIŃSKI's professional activities were focused on applied chemistry, mainly techno-



1. Specimens of Cerambycidae from the PLUCIŃSKI Collection. One of several drawers of Dorcadionini (1) and examples of Gleneini (2)

logy of explosive materials, industrial chemical synthesis and chemistry of surfactants (BURCZYK 1999).

PLUCIŃSKI was able to successfully combine his research and teaching activities at the University with a great passion to insects. He was particularly fond of two distant groups of cucujiform Coleoptera: longhorn beetles (Cerambycidae, Disteniidae and Vesperidae) and leaf-rolling weevils (Rhynchitidae and Attelabidae). PLUCIŃSKI himself collected beetles mainly in Poland and Bulgaria during his summer holiday trips. However, his broad international contacts enabled him to exchange specimens with specialists from many countries, including Japan and China, and although he never published any article in entomology, his identification services were appreciated by museums and universities in Poland and abroad. PLUCIŃSKI's will was that his entire collection and entomological library were to be donated after his death to the Museum of Natural History, University of Wrocław (MNHW), institution with which he closely cooperated for many years. Two of the authors (JK, MW) have had the pleasure of knowing prof. PLUCIŃSKI and they occasionally visited him in his small flat in Wrocław to spend hours talking about his favourite beetles.

The PLUCIŃSKI Collection in MNHW retained its original organization and has been catalogued. The specimens are properly curated and both the longhorn beetles and leaf-rolling weevils are the most species-rich collections of these taxa preserved in Polish museums. The entire PLUCIŃSKI Collection consists of 9180 specimens representing 1570 identified nominal species and subspecies; only a small fraction awaits determination.

Longhorn beetles in the PLUCIŃSKI Collection

The Cerambycidae, Disteniidae and Vesperidae collection (Table 1) comprises 6832 specimens of 1262 identified species and subspecies. Disteniidae and Vesperidae are represented by only three and five species, respectively. The family Cerambycidae (Figs 1-2) includes representatives of 9 subfamilies, 81 tribes, 354 genera and 1254 species and subspecies. The majority of Cerambycidae (83.09%) is Palaearctic, followed by Oriental (12.2%), Afrotropical (3.9%), and a few Nearctic species (0.8%) (Palaearctic taxa are those included in LÖBL & SMETANA (2010), Oriental those not included in this catalogue). PLUCIŃSKI was primarily focused on Eurasia and only within selected genera of Saperdini (*Glenea* NEWMAN, *Nupserha* THOMSON, *Obereopsis* CHEVROLAT) he collected species from outside this area. Phytoeciini, Dorcadionini, Gleneini and Lepturini belong to the largest groups in the collection. The detailed list of taxa is given below.

Cerambycidae

Apatophyseinae

Apatophyseini

- Apatophysis baeckmanniana* SEMENOV, 1907
Apatophysis caspica SEMENOV, 1901
Apatophysis pavlovskii PLAVILSTSHIKOV, 1954
Apatophysis sinica SEMENOV, 1901

Necydalinae

Necydalini

- Necydalis gigantea* KANO, 1933
Necydalis major LINNAEUS, 1758
Necydalis moriyai KUSAMA, 1970
Necydalis solida BATES, 1884

Cerambycinae**Achrysonini**

Icosium tomentosum LUCAS, 1854

Anaglyptini

Anaglyptus arabicus KÜSTER, 1847

Anaglyptus bellus MATSUMURA & MATSUSHITA, 1933

Anaglyptus colobotheoides BATES, 1884

Anaglyptus gibbosus (FABRICIUS, 1787)

Anaglyptus matsushitai HAYASHI, 1955

Anaglyptus mysticus (LINNAEUS, 1758)

Anaglyptus niponensis BATES, 1884

Anaglyptus nokosanus KANO, 1930

Anaglyptus subfasciatus PIC, 1906

Paraclytus excultus BATES, 1844

Paraclytus reitteri GANGLBAUER, 1882

Paraclytus sexguttatus ADAMS, 1817

Callichromatini

Anubis bipustulatus THOMSON, 1865

Aphrodisium cantori HOPE, 1839

Aphrodisium faldermannii yugaii KANO, 1933

Aromia bungii FALDERMANN, 1835

Aromia moschata ambrosiaca (STEVEN, 1809)

Aromia moschata moschata (LINNAEUS, 1758)

Cataphrodisium rubripenne HOPE, 1842

Chelidonium argentatum (DALMAN, 1817)

Chloridolum japonicum HAROLD, 1879

Chloridolum sieversi GANGLBAUER, 1887

Chloridolum thaliodes BATES, 1884

Chloridolum thomsoni PASCOE, 1859

Embrikstrandia bimaculata (WHITE, 1853)

Embrikstrandia unifasciata (RITSEMA, 1896)

Leontium lameeri (PIC, 1900)

Leontium viride THOMSON, 1864

Pachyteria dimidiata WESTWOOD, 1848

Polyzonus bizonatus WHITE, 1853

Polyzonus fasciatus FABRICIUS, 1781

Polyzonus obtusus BATES, 1879

Polyzonus tetraspilatus HOPE, 1835

Schwarzerium quadricolle (BATES, 1884)

Callidiini

Callidiellum rufipenne (MOTSCHULSKY, 1862)

Callidium aeneum (DE GEER, 1775)

Callidium chlorizans SOLSKY, 1871

Callidium coriaceum PAYKULL, 1800

Callidium villosulum FAIRMAIRE, 1900

Callidium violaceum (LINNAEUS, 1758)

Leioderes kollari REDTENBACHER, 1848

Lioderina linearis (HAMPE, 1871)

Phymatodes albicinctus BATES, 1873

Phymatodes maaki KRAATZ, 1879

Phymatodes quadrimaculatus GRESSITT, 1935

Phymatodes testaceus (LINNAEUS, 1758)

Poecilium alni (LINNAEUS, 1767)

Poecilium fasciatum (VILLERS, 1789)

Poecilium glabratum (CHARPENTIER, 1825)

Poecilium lividum (ROSSI, 1794)

Poecilium pusillum (FABRICIUS, 1787)

Poecilium rufipes (FABRICIUS, 1776)

Pronocera angusta (KRIECHBAUMER, 1844)

Pyrrhidium sanguineum (LINNAEUS, 1758)

Ropalopus clavipes (FABRICIUS, 1775)

Ropalopus femoratus (LINNAEUS, 1758)

Ropalopus insubricus (GERMAR, 1824)

Ropalopus macropus (GERMAR, 1824)

Ropalopus siculus (STIERLIN, 1864)

Ropalopus signaticollis SOLSKY, 1872

Ropalopus ungaricus (HERBST, 1784)

Semanotus bifasciatus MOTSCHULSKY, 1875

Semanotus japonicus (LACORDAIRE, 1869)

Semanotus laurasii (LUCAS, 1851)

Semanotus ruscicus (FABRICIUS, 1776)

Semanotus semenovi OKUNEV, 1933

Semanotus sinoauster GRESSITT, 1951

Semanotus undatus (LINNAEUS, 1758)

Turanium johannis BAECKMANN, 1923

Callidiopini

Ceresium leucosticticum WHITE, 1955

Ceresium longicorne PIC, 1926

Ceresium sinicum WHITE, 1855

Stenodryas clavigera BATES, 1873

Stenygrinum quadrinotatum BATES, 1873

Cerambycini

Acalolepta formosana BREUNING, 1935

Acalolepta fraudatrix fraudatrix (BATES, 1873)

Acalolepta luxuriosa (BATES, 1873)

Acalolepta permutans paucipunctata (GRESSITT, 1938)

Acalolepta permutans permutans (PASCOE, 1857)

Acalolepta sejuncta (BATES, 1873)

Aeolesthes chrysothrix (BATES, 1873)

Aeolesthes sarta SOLSKY, 1871

Cerambyx cerdo acuminatus MOTSCHULSKY, 1852

Cerambyx cerdo cerdo LINNAEUS, 1758

Cerambyx dux (FALDERMANN, 1837)

Cerambyx miles BONELLI, 1812

Cerambyx multiplicatus MOTSCHULSKY, 1860

Cerambyx nodulosus GERMAR, 1817

Cerambyx scopoli FUESSLY, 1775

Cerambyx welensii (KÜSTER, 1845)

Derolus mauritanicus (BUQUET, 1840)

Dymasius hirayamai MATSUSHITA, 1941

Gibbocerambyx maculicollis MATSUSHITA, 1933

Hemadius oenochrous FAIRMAIRE, 1889

Hoplocerambyx spinicornis NEWMAN, 1842

Lachnopterus auripennis NEWMAN, 1842

Margites fulvidus (PASCOE, 1858)

Massicus trilineatus (PIC, 1933)

- Neocerambyx raddei* BLESSIG, 1872
Neoplocaederus scapularis FISCHER VON WALDHEIM, 1821
Plocaederus obesus GAHAN, 1890
Rhytidodera bowringii WHITE, 1853
Trachylophus sinensis GAHAN, 1888
Trirachys orientalis HOPE, 1843
Xoanodera maculata SCHWARZER, 1925
Xoanodera regularis GAHAN, 1890
- Certallini**
- Certallum ebulinum* (LINNAEUS, 1767)
- Cleomenini**
- Artimpaza setigera japonica* PIC, 1928
Artimpaza setigera setigera SCHWARZER, 1925
Dere reticulata GRESSITT, 1942
Dere thoracica WHITE, 1855
Kuraria chujoi MAKIHARA, 1982
Kuraria rhopalophoroides HAYASHI, 1951
- Clytini**
- Brachyclytus singularis* KRAATZ, 1879
Chlorophorus aegyptiacus (FABRICIUS, 1775)
Chlorophorus annularis FABRICIUS, 1787
Chlorophorus aritai (OHBA YASHI, 1964)
Chlorophorus buqueti LAPORTE & GORY, 1836
Chlorophorus diadema MOTSCHULSKY, 1853
Chlorophorus dohertyi GAHAN, 1906
Chlorophorus eleodes FAIRMAIRE, 1889
Chlorophorus faldermanni (FALDERMANN, 1837)
Chlorophorus figuratus (SCOPOLI, 1763)
Chlorophorus glabromaculatus (GOEZE, 1777)
Chlorophorus gratus (MARSEUL, 1869)
Chlorophorus herbstii (BRAHM, 1790)
Chlorophorus hungaricus SEIDLITZ, 1791
Chlorophorus japonicus (CHEVROLAT, 1863)
Chlorophorus kanoi HAYASHI, 1963
Chlorophorus macaumensis (CHEVROLAT, 1845)
Chlorophorus miwai GRESSITT, 1936
Chlorophorus motschulskyi GANGLBAUER, 1887
Chlorophorus muscosus (BATES, 1873)
Chlorophorus mushanus MATSUSHITA, 1931
Chlorophorus pelletieri LAPORTE & GORY, 1836
Chlorophorus pilosus (FORSTER, 1771)
Chlorophorus quinquefasciatus (LAPORTE & GORY, 1836)
Chlorophorus ruficornis (OLIVIER, 1790)
Chlorophorus sartor (MÜLLER, 1766)
Chlorophorus sexguttatus (LUCAS, 1849)
Chlorophorus simillimus KRAATZ, 1879
Chlorophorus t-nigrum (JORDAN, 1894)
Chlorophorus trifasciatus (FABRICIUS, 1781)
Chlorophorus varius (MÜLLER, 1766)
Clytobius davidis (FAIRMAIRE, 1878)
Clytus arietis (LINNAEUS, 1758)
Clytus arietoides REITTER, 1889
Clytus auripilis BATES, 1884
Clytus lama MULSANT, 1847
Clytus melaenus BATES, 1884
Clytus raddensis PIC, 1904
Clytus rhamni GERMAR, 1817
Clytus tropicus (PANZER, 1795)
Cyrtoclytus capra (GERMAR, 1824)
Cyrtoclytus caproides BATES, 1873
Demonax albicinctus HOPE, 1831
Demonax albomaculatus ALLARD, 1894
Demonax okuni MITONO, 1942
Demonax transilis BATES, 1884
Grammographus albosignatus (GAHAN, 1906)
Grammographus flavicollis MATSUSHITA, 1931
Grammographus notabilis PASCOE, 1862
Isotomus barbarae SAMA, 1977
Isotomus comptus (MANNERHEIM, 1825)
Isotomus jarmilae SLÁMA, 1982
Isotomus speciosus (SCHNEIDER, 1787)
Kazuoclytus lautoides HAYASHI, 1950
Neoclytus acuminatus (FABRICIUS, 1775)
Plagionotus arcuatus (LINNAEUS, 1758)
Plagionotus bobelayei (BRULLÉ, 1832)
Plagionotus christophi KRAATZ, 1879
Plagionotus detritus (LINNAEUS, 1758)
Plagionotus floralis PALLAS, 1776
Plagionotus lugubris MÉNÉTRIÉS, 1832
Plagionotus pulcher BLESSIG, 1872
Plagionotus scalaris (BRULLÉ, 1832)
Pseudosphegesthes cinerea LAPORTE & GORY, 1836
Rhabdoclytus acutivittis (KRAATZ, 1879)
Rhaphuma circumscripta SCHWARZER, 1925
Rhaphuma diminuta (BATES, 1873)
Rhaphuma gracilipes (FALDERMANN, 1835)
Rhaphuma placida PASCOE, 1858
Rhaphuma ruficollis MITONO, 1842
Rhaphuma testaceiceps PIC, 1915
Rhaphuma virens MATSUSHITA, 1931
Rhaphuma xenisca BATES, 1884
Xylotrechus adpersus GEBLER, 1830
Xylotrechus altaicus GEBLER, 1836
Xylotrechus antilope (SCHÖNHERR, 1817)
Xylotrechus arvicola (OLIVIER, 1795)
Xylotrechus asellus THIEME, 1881
Xylotrechus capricornus GEBLER, 1830
Xylotrechus chinensis CHEVROLAT, 1852
Xylotrechus clarinus BATES, 1884
Xylotrechus cuneipennis KRAATZ, 1879
Xylotrechus emaciatus BATES, 1884
Xylotrechus grayi (WHITE, 1855)
Xylotrechus hircus GEBLER, 1825
Xylotrechus ibex GEBLER, 1825
Xylotrechus javanicus LAPORTE & GORY, 1836

Xylotrechus lautus MATSUSHITA, 1933
Xylotrechus magnicollis (FAIRMAIRE, 1888)
Xylotrechus namanganensis HEYDEN, 1885
Xylotrechus pantherinus (SAVENIUS, 1825)
Xylotrechus polyzonus (FAIRMAIRE, 1888)
Xylotrechus pyrrhoderus BATES, 1873
Xylotrechus rufilius BATES, 1884
Xylotrechus rusticus (LINNAEUS, 1758)
Xylotrechus yanoi GRESSITT, 1934

Deilini

Deilus fugax (OLIVIER, 1790)
Delagrangeus angustissimus PIC, 1892
Delagrangeus schurmanni SAMA, 1985

Graciliini

Axinopalpis gracilis (KRYNICKI, 1832)
Gracilia minuta (FABRICIUS, 1781)
Lucasianus levaillantii (LUCAS, 1847)
Penichroa fasciata STEPHENS, 1839

Hesperophanini

Hesperophanes sericeus (FABRICIUS, 1787)
Stromatium longicorne NEWMAN, 1842
Stromatium unicolor (OLIVIER, 1795)
Trichoferus campestris (FALDERMANN, 1835)
Trichoferus fasciculatus (FALDERMANN, 1837)
Trichoferus griseus (FABRICIUS, 1792)
Trichoferus machadoi SAMA & SCHURMANN, 1983
Trichoferus roridus (BRULLÉ, 1838)
Turcmenigena wardenowi MELGUNOV, 1893

Hylotrupini

Hylotrupes bajulus (LINNAEUS, 1758)

Molorchini

Dolocerus holtzi (PIC, 1905)
Dolocerus reichii Mulsant, 1862
Epania dilaticornis kumatai HAYASHI, 1961
Epania shikokensis OHBAYASHI, 1936
Merionoeda formosana formosana HELLER, 1924
Merionoeda formosana iriomotensis K. OHBAYASHI & N. OHBAYASHI, 1965
Merionoeda hirsuta (MITONO & NISHIMURA, 1936)
Molorchus gracilis (HAYASHI, 1949)
Molorchus hattorii (OHBAYASHI, 1953)
Molorchus ishiharai (OHBAYASHI, 1936)
Molorchus kiesewetteri (Mulsant & REY, 1861)
Molorchus kojimai (MATSUSHITA, 1939)
Molorchus marmottani (BRISOUT, 1863)
Molorchus minor (LINNAEUS, 1758)
Molorchus nitidus (OBİKA, 1973)
Molorchus shibatai HAYASHI, 1961
Molorchus takeuchii (OHBAYASHI, 1937)
Molorchus umbellatarum (SCHREBER, 1759)

Nathriini

Nathrius brevipennis (Mulsant, 1839)

Obrini

Obrium brunneum (FABRICIUS, 1792)
Obrium cantharinum (LINNAEUS, 1767)
Obrium nakanei OHBAYASHI, 1959

Prothemini

Prothema ochraceosignatum (PIC, 1915)
Prothema signatum PASCOE, 1856

Phoracanthini

Allotraeus sphaerioninus BATES, 1877
Nysina rufescens (PIC, 1923)
Phoracantha semipunctata (FABRICIUS, 1775)

Pseudolepturini

Erythresthes bowringii (PASCOE, 1863)
Erythrus championi WHITE, 1853
Erythrus formosanus BATES, 1866

Purpuricenini

Amarysius altajensis Laxmann, 1770
Amarysius sanguinipennis BLESSIG, 1872
Anoplistes halodendri ephippium (STEVEN & DALMAN, 1817)
Anoplistes halodendri halodendri (PALLAS, 1773)
Anoplistes jacobsoni BAECKMANN, 1904
Anoplistes mongolicus amoenus REITTER, 1898
Dicelosternus corallinus GAHAN, 1900
Euryclelia cardinalis (THOMSON, 1861)
Euryphagus lundii (FABRICIUS, 1793)
Pavieia superba BRONGNIART, 1890
Purpuricenus barbarus (LUCAS, 1842)
Purpuricenus budensis (GÖTZ, 1783)
Purpuricenus dalmatinus STURM, 1843
Purpuricenus desfontainii (FABRICIUS, 1793)
Purpuricenus globulicollis DEJEAN, 1839
Purpuricenus kaehleri (LINNAEUS, 1758)
Purpuricenus lituratus GANGLBAUER, 1886
Purpuricenus malaccensis (LACORDAIRE, 1869)
Purpuricenus sideriger FAIRMAIRE, 1888
Purpuricenus spectabilis MOTSCHULSKY, 1858
Purpuricenus temminckii (GUÉRIN-MÉNEVILLE, 1844)

Pyrestini

Pyrestes cardinalis PASCOE, 1863
Pyrestes curticornis PIC, 1923
Pyrestes haematicus PASCOE, 1857
Pyrestes longicollis (PIC, 1953)

Rosalini

Rosalia alpina (LINNAEUS, 1758)
Rosalia batesi HAROLD, 1877

Stenhomalini

Stenhomalus bicolor (KRAATZ, 1862)
Stenhomalus incongruus muneaka HAYASHI, 1981
Stenhomalus naganoi HAYASHI, 1960
Stenhomalus taiwanus MATSUSHITA, 1933

Stenopterini

- Callimoxys gracilis* (BRULLÉ, 1832)
Callimus abdominalis (OLIVIER, 1795)
Callimus angulatus (SCHRANK, 1789)
Callimus femoratus (GERMAR, 1824)
Stenopterus ater LINNAEUS, 1767
Stenopterus creticus SAMA, 1995
Stenopterus flavicornis KÜSTER, 1846
Stenopterus mauritanicus LUCAS, 1846
Stenopterus rufus LINNAEUS, 1767

Thraniini

- Thranus multinotatus signatus* SCHWARZER, 1925
Thranus variegatus BATES, 1873

Tillomorphini

- Cleroclytus banghaasi* REITTER, 1895
Epipedocera atra PIC, 1937
Epipedocera laticollis GAHAN, 1906
Epipedocera rollei PIC, 1910
Epipedocera zona CHEVROLAT, 1863

Xystrocerini

- Leptoxenus ibidiiformis* BATES, 1877
Xystrocera festiva THOMSON, 1861
Xystrocera globosa (OLIVIER, 1795)

Lamiinae**Acanthocinini**

- Acanthocinus aedilis* (LINNAEUS, 1758)
Acanthocinus carinulatus (GEBLER, 1833)
Acanthocinus griseus (FABRICIUS, 1792)
Acanthocinus reticulatus (RAZOUMOV, 1789)
Acanthocinus stillatus BATES, 1884
Exocentrus adspersus MULSANT, 1846
Exocentrus fasciolatus BATES, 1873
Exocentrus galloisi MATSUSHITA, 1933
Exocentrus guttulatus BATES, 1873
Exocentrus lineatus BATES, 1873
Exocentrus lusitanus (LINNAEUS, 1767)
Exocentrus punctipennis MULSANT & GUILLEBEAU, 1856
Exocentrus ritae SAMA, 1985
Exocentrus stierlini GANGLBAUER, 1883
Exocentrus testudineus MATSUSHITA, 1931
Leiopus femoratus FAIRMAIRE, 1859
Leiopus nebulosus caucasicus GANGLBAUER, 1887
Leiopus nebulosus nebulosus (LINNAEUS, 1758)
Leiopus punctulatus (PAYKULL, 1800)
Rondibilis saperdina BATES, 1884

Acanthoderini

- Aegomorphus clavipes* (SCHRANK, 1781)
Callapoecus guttatus BATES, 1884

Agapanthiini

- Agapanthia amurensis* KRAATZ, 1879
Agapanthia annularis (OLIVIER, 1795)
Agapanthia asphodeli (LATREILLE, 1804)
Agapanthia cardui (LINNAEUS, 1767)

Agapanthia coeruleipennis FRIVALDSZKY, 1878

- Agapanthia cynarae* (GYLLENHAL, 1817)
Agapanthia dahli (RICHTER, 1821)
Agapanthia daurica GANGLBAUER, 1883
Agapanthia detrita KRAATZ, 1882
Agapanthia irrorata (FABRICIUS, 1787)
Agapanthia kirbyi (GYLLENHAL, 1817)
Agapanthia lateralis GANGLBAUER, 1884
Agapanthia pustulifera PIC, 1905
Agapanthia schurmanni SAMA, 1979
Agapanthia soror KRAATZ, 1882
Agapanthia subchalybaea REITTER, 1898
Agapanthia villosiviridescens (DE GEER, 1775)
Agapanthia violacea (FABRICIUS, 1775)
Agapanthia walteri REITTER, 1898
Agapanthiola leucaspis (STEVEN, 1817)
Aulaconotus pachypezoides THOMSON, 1864
Calamobius filum (ROSSI, 1790)
Eucomatocera vittata WHITE, 1846
Pseudocalamobius japonicus BATES, 1873
Theophilea cylindricollis PIC, 1895

Ancylonotini

- Palimna liturata* BATES, 1884
Palimna palimnoides (SCHWARZER, 1925)

Apodasyini

- Anaesthetis testacea* (FABRICIUS, 1781)
Arhopaloscelis bifasciata (KRAATZ, 1879)
Clytosemia pulchra BATES, 1884
Deroplia albida (BRULLÉ, 1838)
Deroplia annulicornis (MULSANT, 1838)
Deroplia genei (ARAGONA, 1830)
Deroplia gertiana SAMA, 1996
Deroplia pilosa (WOLLASTON, 1862)
Deroplia troberti (MULSANT, 1843)
Euseboides matsudai GRESSITT, 1938
Graphidessa venata BATES, 1884
Mimectatina meridiana (MATSUSHITA, 1933)
Oplosia cinerea (MULSANT, 1839)
Penthides flavus MATSUSHITA, 1933
Rhodopina lewisii (BATES, 1873)
Rhopaloscelis maculata BATES, 1877
Rhopaloscelis unifasciata (BLESSIG, 1873)

Apomecynini

- Aimura japonica* BATES, 1873
Asaperda agapanthina BATES, 1873
Asaperda rufipes BATES, 1873
Doliops similis MIWA & MITONO, 1933
Microlera ptinoides BATES, 1873
Ropica fuscolaterimaculata HAYASHI, 1974
Sybra baculina BATES, 1866
Sybra flavomaculata BREUNING, 1939
Sybra ordinata BATES, 1873
Sybra subfasciata (BATES, 1884)
Xylariopsis mimica BATES, 1884

Astathini

- Astathes episcopalis* CHEVROLAT, 1852
Bacchisa fortunei (THOMSON, 1857)
Bacchisa guerrii PIC, 1911

Batocerini

- Abatocera irregularis* VOLLENHOVEN, 1871
Abatocera leonina THOMSON, 1865
Apriona cylindrica THOMSON, 1857
Apriona germari CHEVROLAT, 1852
Apriona rugicollis CHEVROLAT, 1852
Batocera aeneonigra THOMSON, 1859
Batocera andamana THOMSON, 1878
Batocera calana PARRY, 1844
Batocera celebiana THOMSON, 1858
Batocera davidis DEYROLLE, 1878
Batocera gigas (DRAPIEZ, 1819)
Batocera hercules BOISDUVAL, 1835
Batocera horsfieldi (HOPE, 1839)
Batocera laena THOMSON, 1858
Batocera lineolata CHEVROLAT, 1852
Batocera maculata (SCHÖNHERR, 1817)
Batocera matzdorffi KRIESCHE, 1915
Batocera nebulosa BATES, 1877
Batocera numitor NEWMAN, 1842
Batocera roylei (HOPE, 1833)
Batocera rubus LINNAEUS, 1758
Batocera rufomaculata DE GEER, 1775
Batocera victoriana THOMSON, 1856
Batocera wallacei THOMSON, 1858
Rosenbergia mandibularis RITSEMA, 1881
Rosenbergia weiskei HELLER, 1902

Ceroplesini

- Thysia wallichii* (HOPE, 1831)

Crossotini

- Moechothypa diphysis* (PASCOE, 1871)
Moechothypa formosana (PIC, 1917)

Dorcadionini

- Dorcadion abakumovi* THOMSON, 1965
Dorcadion aethiops (SCOPOLI, 1763)
Dorcadion anatolicum PIC, 1900
Dorcadion arenarium abruptum (GERMAR, 1839)
Dorcadion arenarium arenarium (SCOPOLI, 1763)
Dorcadion atritarse (PIC, 1931)
Dorcadion bangi HEYDEN, 1894
Dorcadion beckeri KRAATZ, 1873
Dorcadion biforme (KRAATZ, 1893)
Dorcadion bodemeyeri DANIEL, 1900
Dorcadion breuningi (HEYROVSKY, 1943)
Dorcadion brunneicollis KRAATZ, 1873
Dorcadion carinatum (PALLAS, 1771)
Dorcadion catenatum WALT, 1838
Dorcadion cinerarium (FABRICIUS, 1787)
Dorcadion coiffaiti BREUNING, 1962
Dorcadion crassipes crassipes BALLION, 1878

- Dorcadion crassipes validipes* JAKOVLEV, 1906
Dorcadion decipiens (GERMAR, 1824)
Dorcadion dimidiatum MOTSCHULSKY, 1838
Dorcadion divisum (GERMAR, 1839)
Dorcadion elegans (KRAATZ, 1873)
Dorcadion equestre equestre (LAXMANN, 1770)
Dorcadion equestre nogelii FAIRMAIRE, 1866
Dorcadion equestre transilvanicum (GANGLBAUER, 1884)
Dorcadion etruscum (ROSSI, 1790)
Dorcadion eugeniae (GANGLBAUER, 1885)
Dorcadion fulvum cervae (FRIVALDSZKY, 1892)
Dorcadion fulvum fulvum (SCOPOLI, 1763)
Dorcadion gallipolitanum (THOMSON, 1867)
Dorcadion gebleri KRAATZ, 1873
Dorcadion glabrofasciatum (DANIEL, 1900)
Dorcadion glycyrrhizae glycyrrhizae (PALLAS, 1773)
Dorcadion glycyrrhizae striatum GOEZE, 1777
Dorcadion hampei MULSANT & REY, 1863
Dorcadion heinzi BREUNING, 1964
Dorcadion hellmanni GANGLBAUER, 1884
Dorcadion holosericeum (KRYNICKI, 1832)
Dorcadion hybridum hedvigae (JUREČEK, 1933)
Dorcadion iconiense DANIEL, 1900
Dorcadion infernale MULSANT & REY, 1863
Dorcadion jakobsoni JAKOVLEV, 1899
Dorcadion kozanii (BREUNING, 1962)
Dorcadion krueperi (GANGLBAUER, 1883)
Dorcadion laeve FALDERMANN, 1837
Dorcadion lameeri THERY, 1896
Dorcadion lineatocolle (KRAATZ, 1873)
Dorcadion ljubetense (PIC, 1909)
Dorcadion lugubre (KRAATZ, 1873)
Dorcadion merkli (GANGLBAUER, 1884)
Dorcadion minutum (KRAATZ, 1873)
Dorcadion multimaculatum PIC, 1932
Dorcadion murrayi (KÜSTER, 1847)
Dorcadion mystacinum mystacinum BALLION, 1878
Dorcadion mystacinum rufidens JAKOVLEV, 1906
Dorcadion nitidum MOTSCHULSKY, 1838
Dorcadion niveiparum THOMSON, 1865
Dorcadion nivosum SUVOROV, 1913
Dorcadion olympicum KRAATZ, 1873
Dorcadion parallelum KÜSTER, 1847
Dorcadion pararufipenne Braun, 1976
Dorcadion parnassi (KRAATZ, 1873)
Dorcadion pedestre pedestre (PODA, 1761)
Dorcadion pedestre kaszabi BREUNING, 1956
Dorcadion pilosellum (KRAATZ, 1873)
Dorcadion pilosipenne BREUNING, 1943
Dorcadion pluto THOMSON, 1867
Dorcadion preissi (HEYDEN, 1894)
Dorcadion pseudobithyniense BREUNING, 1962

- Dorcadion pseudopreissi* BREUNING, 1962
Dorcadion quadrimaculatum nodicorne (TOURNIER, 1872)
Dorcadion regulare (PIC, 1931)
Dorcadion rufipenne BREUNING, 1946
Dorcadion rufogenum REITTER, 1895
Dorcadion saulcyi THOMSON, 1865
Dorcadion scabricolle DALMAN, 1817
Dorcadion scopolii (HERBST, 1784)
Dorcadion scrobicolle KRAATZ, 1873
Dorcadion semenovi GANGLBAUER, 1863
Dorcadion septemlineatum (WALT, 1838)
Dorcadion songaricum GANGLBAUER, 1883
Dorcadion striolatum (KRAATZ, 1873)
Dorcadion subsericatum PIC, 1901
Dorcadion tauricum (WALT, 1838)
Dorcadion tibiale JAKOVLEV, 1889
Dorcadion tschitscherini JAKOVLEV, 1899
Dorcadion turkestanicum KRAATZ, 1881
Dorcadion wagneri KÜSTER, 1846
Dorcadion weyersi FAIRMAIRE, 1866
Eodorcadion carinatum blessigi GANGLBAUER, 1884
Eodorcadion carinatum carinatum (FABRICIUS, 1781)
Eodorcadion chinganicum (SUWOROV, 1909)
Eodorcadion egregium REITTER, 1897
Eodorcadion humerale GEBLER, 1823
Eodorcadion oreadis REITTER, 1897
Eodorcadion virgatum (MOTSCHULSKY, 1854)
Iberodorcadion abulense (LAUFFER, 1902)
Iberodorcadion albicans (CHEVROLAT, 1862)
Iberodorcadion amorii (MARSEUL, 1856)
Iberodorcadion becerrae (LAUFFER, 1901)
Iberodorcadion bolivari (LAUFFER, 1898)
Iberodorcadion brannani (SCHAUFUSS, 1870)
Iberodorcadion circumcinctum (CHEVROLAT, 1862)
Iberodorcadion fuliginator fuliginator (LINNAEUS, 1758)
Iberodorcadion fuliginator meridionale (MULSANT, 1839)
Iberodorcadion fuliginator obessum (GAUTIER, 1870)
Iberodorcadion graellsii graellsii (GRAELLS, 1858)
Iberodorcadion graellsii longipenne (CHEVROLAT, 1862)
Iberodorcadion heydenii (KRAATZ, 1870)
Iberodorcadion korbi (GANGLBAUER, 1884)
Iberodorcadion lorguinii (FAIRMAIRE, 1855)
Iberodorcadion marmottani (ESCALERA, 1900)
Iberodorcadion martinenzii (PEREZ, 1874)
Iberodorcadion molitor (FABRICIUS, 1775)
Iberodorcadion mosqueruelense (ESCALERA, 1902)
Iberodorcadion mus (ROSENHAUER, 1856)
Iberodorcadion neilense almarzense (ESCALERA, 1902)
Iberodorcadion neilense neilense (ESCALERA, 1902)
Iberodorcadion nigrosparsum VERDUGO, 1993
Iberodorcadion perezii cercedillanum (PIC, 1900)
Iberodorcadion perezii hispanicum (MULSANT, 1851)
Iberodorcadion perezii nudipenne (ESCALERA, 1908)
Iberodorcadion segovianum dejeanii (CHEVROLAT, 1862)
Iberodorcadion segovianum segovianum (CHEVROLAT, 1862)
Iberodorcadion seguntianum (K. DANIEL & J. DANIEL, 1898)
Iberodorcadion seoanei kricheldorffi (PIC, 1910)
Iberodorcadion seoanei seoanei (GRAELLS, 1858)
Iberodorcadion spinolae caunense (LAUFFER, 1910)
Iberodorcadion spinolae spinolae (DALMAN, 1817)
Iberodorcadion terolense (ESCALERA, 1902)
Iberodorcadion uhagonii (PEREZ, 1868)
Iberodorcadion zarcoi (SCHRAMM, 1910)
Neodorcadion bilineatum (GERMAR, 1824)
Neodorcadion fallax (KRAATZ, 1873)
Neodorcadion laqueatum (WALT, 1838)
Neodorcadion orientale (GANGLBAUER, 1884)
Neodorcadion virleti (BRULLÉ, 1832)
Politodorcadion politum (DALMAN, 1823)
Politodorcadion ribbei KRAATZ, 1878
Dorcaschematini
Olenecamptus cretaceus cretaceus BATES, 1873
Olenecamptus cretaceus marginatus SCHWARZER, 1925
Olenecamptus formosanus PIC, 1914
Olenecamptus taiwanus DILLON & DILLON, 1948
Gleneini
Glenea acuta FABRICIUS, 1801
Glenea adelpha THOMSON, 1858
Glenea albocingulata AURIVILLIUS, 1926
Glenea albofasciata GAHAN, 1897
Glenea albolineata THOMSON, 1860
Glenea algebraica THOMSON, 1857
Glenea aluensis GAHAN, 1897
Glenea angerona THOMSON, 1865
Glenea anna THOMSON, 1879
Glenea annulicornis SCHWARZER, 1925
Glenea anticepunctata obsoletopunctata THOMSON, 1857
Glenea anticepunctata THOMSON, 1857
Glenea apicalis CHEVROLAT, 1857
Glenea arcuata CHEVROLAT, 1858
Glenea arouensis THOMSON, 1858

- Glenea atriceps* AURIVILLIUS, 1911
Glenea astarte THOMSON, 1865
Glenea beatrix THOMSON, 1879
Glenea beccarii GAHAN, 1907
Glenea bellona THOMSON, 1879
Glenea blandina PASCOE, 1858
Glenea buqueti THOMSON, 1865
Glenea camilla PASCOE, 1867
Glenea cantor FABRICIUS, 1787
Glenea caraga HELLER, 1921
Glenea cardinalis THOMSON, 1861
Glenea cassandra GAHAN, 1907
Glenea celia PASCOE, 1888
Glenea ceylonica BREUNING, 1958
Glenea chlorospila GAHAN, 1897
Glenea chrysomaculata SCHWARZER, 1925
Glenea cinerea THOMSON, 1865
Glenea citrina THOMSON, 1865
Glenea concinna NEWMAN, 1842
Glenea coris PASCOE, 1867
Glenea cyanipennis THOMSON, 1858
Glenea diana THOMSON, 1865
Glenea dimidiata FABRICIUS, 1801
Glenea distinguenda GAHAN, 1889
Glenea diversimembris PIC, 1926
Glenea dorsaloidea BREUNING, 1856
Glenea elegans (OLIVIER, 1795)
Glenea elegantissima BREUNING, 1956
Glenea exulta NEWMAN, 1842
Glenea extensa PASCOE, 1858
Glenea extrema SHARP, 1900
Glenea fainanensis PIC, 1916
Glenea fasciata FABRICIUS, 1781
Glenea fatalis PASCOE, 1867
Glenea fissicauda AURIVILLIUS, 1926
Glenea flava JORDAN, 1895
Glenea formosana holatripes BREUNING, 1953
Glenea fulvomaculata THOMSON, 1860
Glenea funerula THOMSON, 1857
Glenea gabonica THOMSON, 1858
Glenea galathea THOMSON, 1865
Glenea giraffa DALMAN, 1817
Glenea glauca NEWMAN, 1842
Glenea grisea THOMSON, 1860
Glenea grossepunctata BREUNING, 1958
Glenea hasselti RITSEMA, 1892
Glenea heptagona THOMSON, 1860
Glenea homonospila THOMSON, 1865
Glenea indiana (THOMSON, 1857)
Glenea iwasaki KANO, 1933
Glenea jordani LEPESME & BREUNING, 1952
Glenea juno THOMSON, 1865
Glenea kannegieteri BREUNING, 1958
Glenea keili RITSEMA, 1897
Glenea kraatzii THOMSON, 1865
Glenea labuanensis BREUNING, 1956
Glenea lacteomaculata SCHWARZER, 1925
Glenea latevittata AURIVILLIUS, 1920
Glenea lecta GAHAN, 1889
Glenea lefebvrei GUÉRIN-MÉNEVILLE, 1831
Glenea lepida NEWMAN, 1842
Glenea lineata GAHAN, 1897
Glenea lineatocollis THOMSON, 1860
Glenea lycoris THOMSON, 1865
Glenea manto PASCOE, 1866
Glenea mathematica THOMSON, 1857
Glenea maunieri PIC, 1926
Glenea melia PASCOE, 1867
Glenea melissa PASCOE, 1867
Glenea myrsia PASCOE, 1867
Glenea nicanor PASCOE, 1867
Glenea nigromaculata THOMSON, 1865
Glenea nigrotibialis BREUNING, 1950
Glenea novemguttata GUÉRIN-MÉNEVILLE, 1831
Glenea numerifera THOMSON, 1865
Glenea nympha THOMSON, 1865
Glenea ochraceovittata THOMSON, 1865
Glenea oreophila BREUNING, 1958
Glenea pascoei AURIVILLIUS, 1923
Glenea paulina GAHAN, 1907
Glenea pici AURIVILLIUS, 1920
Glenea plagiata GARDNER, 1930
Glenea porphyrio PASCOE, 1866
Glenea posticata GAHAN, 1894
Glenea proserpina THOMSON, 1865
Glenea proxima LAMEERE, 1893
Glenea pseudocolobothoidea BREUNING, 1950
Glenea puella CHEVROLAT, 1858
Glenea pulchra AURIVILLIUS, 1926
Glenea pustulata THOMSON, 1865
Glenea quadrinotata GUÉRIN-MÉNEVILLE, 1843
Glenea quinquelineata CHEVROLAT, 1855
Glenea relicta PASCOE, 1858
Glenea rubricollis HOPE, 1842
Glenea sanctaemariae THOMSON, 1857
Glenea scalaris THOMSON, 1865
Glenea signatifrons GAHAN, 1897
Glenea silhetica PAVILSTSHKOV, 1927
Glenea sophronia PASCOE, 1867
Glenea speciosa GAHAN, 1889
Glenea strigata THOMSON, 1860
Glenea suada GAHAN, 1907
Glenea submorosa BREUNING, 1952
Glenea sumatrana BREUNING, 1950
Glenea suturalis JORDAN, 1894
Glenea tenuilineata THOMSON, 1879
Glenea timoriensis JORDAN, 1894
Glenea tonkinae AURIVILLIUS, 1926

Glenea tritoleuca AURIVILLIUS, 1923
Glenea trivittata AURIVILLIUS, 1911
Glenea truncatipennis BREUNING, 1950
Glenea venus celebensis RITSEMA, 1892
Glenea venus venus THOMSON, 1865
Glenea venusta GUÉRIN-MÉNEVILLE, 1831
Glenea versuta NEWMAN, 1842
Glenea vigintiduomaculata THOMSON, 1858
Glenea virens AURIVILLIUS, 1925
Glenea voluptuosa THOMSON, 1860
Glenea wiedenfeldi AURIVILLIUS, 1911

Gnomini

Imantocera penicillata (HOPE, 1831)

Homonoieini

Bumetopia sakishimana HAYASHI, 1966

Lamiini

Aethalodes verrucosus formosanus KRIESCHE, 1924
Aristobia approximatrix THOMSON, 1865
Aristobia hispida (SAUNDERS, 1853)
Aristobia horridula (HOPE, 1831)
Aristobia reticulatrix (FABRICIUS, 1781)
Aristobia voeti THOMSON, 1878
Cremnosterna carissima PASCOE, 1857
Epepeotes ambigenus formosanus GRESSITT, 1951
Gerania bosci (FABRICIUS, 1801)
Herophila fairmairei (THOMSON, 1857)
Herophila tristis (LINNAEUS, 1767)
Lamia textor (LINNAEUS, 1758)
Lamiomimus gottschei KOLBE, 1886
Morimus asper (SULZER, 1776)
Morimus asper funereus MULSANT, 1862
Morimus verecundus (FALDERMANN, 1836)
Paraleprodera diophthalma (PASCOE, 1857)
Paraleprodera itzingeri BREUNING, 1935
Psacotheta hilaris hilaris (PASCOE, 1857)

Mesosini

Agelasta perplexa PASCOE, 1858
Cacia watantakkuni KANO, 1933
Coptops japonicus BREUNING, 1936
Falsomesosella gracilior BATES, 1884
Mesoereis koshunensis MATSUSHITA, 1933
Mesosa cribrata BATES, 1884
Mesosa curculionoides (LINNAEUS, 1761)
Mesosa hirsuta BATES, 1884
Mesosa japonica BATES, 1873
Mesosa longipennis BATES, 1873
Mesosa myops (DALMAN, 1817)
Mesosa nebulosa (FABRICIUS, 1781)
Mesosa senilis BATES, 1884

Monochamini

Agnoderus gnomoides THOMSON, 1864
Annamanum albisparsum (GAHAN, 1888)
Anoplophora albopicta MATSUSHITA, 1933
Anoplophora chinensis FORSTER, 1771

Anoplophora glabripennis MOTSCHULSKY, 1854
Anoplophora horsfieldii (HOPE, 1842)
Anoplophora lurida PASCOE, 1856
Anoplophora malasiaca THOMSON, 1865
Cereopsius praetorius (ERICHSON, 1834)
Eupromus ruber (DALMAN, 1817)
Mecynippus pubicornis BATES, 1884
Monochamus alternatus HOPE, 1842
Monochamus galloprovincialis (OLIVIER, 1795)
Monochamus grandis WATERHOUSE, 1881
Monochamus guerryi PIC, 1903
Monochamus nitens (BATES, 1884)
Monochamus saltuarius (GEBLER, 1830)
Monochamus sartor sartor (FABRICIUS, 1787)
Monochamus sartor urussovi (FISCHER VON WALDHEIM, 1806)
Monochamus subfasciatus shikokensis BREUNING, 1956
Monochamus subfasciatus subfasciatus (BATES, 1873)
Monochamus sutor (LINNAEUS, 1758)
Pseudomeges marmoratus WESTWOOD, 1848
Uraecha angusta (PASCOE, 1857)
Uraecha bimaculata THOMSON, 1864
Xenicotela pardalina (BATES, 1884)
Xenohammus bimaculatus SCHWARZER, 1931

Morimopsini

Dolophrades terrenus BATES, 1884

Parmenini

Lepromoris gibba (BRULLÉ, 1839)
Parmena balteus (LINNAEUS, 1767)
Parmena pubescens (DALMAN, 1817)
Parmenopsis caucasica LEDER, 1880

Petrognathini

Ithocritus ruber HOPE, 1839
Morimopsis lacrymans (THOMSON, 1864)

Phrissomini

Mesechthistatus binodosus (WATERHOUSE, 1881)
Mesechthistatus furcifer furcifer (BATES, 1884)
Mesechthistatus furcifer meridionalis (HAYASHI, 1951)

Parechthistatus gibber gibber (BATES, 1873)
Parechthistatus gibber grossus (BATES, 1884)
Parechthistatus gibber nakanei MIYAKE, 1980
Parechthistatus gibber pseudogrossus MIYAKE, 1980

Phytoeciini

Conizonia bodoani PIC, 1912
Conizonia detrita (FABRICIUS, 1792)
Conizonia guerini BRÉME, 1840
Conizonia warnieri LUCAS, 1847
Dirphya imitans (BREUNING, 1956)
Dyenmonus trivittatus AURIVILLIUS, 1914
Epiglenea comes (BATES, 1884)

- Gracilinitocris gracilentata* KOLBE, 1893
Linda atricornis PIC, 1924
Linda femorata CHEVROLAT, 1852
Linda fraterna CHEVROLAT, 1852
Linda nigroscutata (FAIRMAIRE, 1902)
Mallosia graeca (STURM, 1843)
Mallosia herminae REITTER, 1890
Mallosia imperatrix ABEILLE DE PERRIN, 1885
Mallosia mirabilis FALDERMANN, 1837
Mallosia scovitzii (FALDERMANN, 1837)
Mallosia tristis REITTER, 1888
Mallosiella regina (HEYDEN, 1887)
Mecas cineracea CASEY, 1913
Mecas obereoides BATES, 1881
Micromandibularia rufa BREUNING, 1954
Musaria wachanrui MULSANT, 1851
Mystrocnemis bicolor AURIVILLIUS, 1914
Neonitocris modesta FABRICIUS, 1781
Neonitocris princeps JORDAN, 1894
Nitakeris adorata (THOMSON, 1858)
Nitakeris nigricornis (OLIVIER, 1795)
Nitakeris similis (GAHAN, 1893)
Nitocris lucasii (THOMSON, 1858)
Nupserha antennalis JORDAN, 1894
Nupserha apicalis FAHRAEUS, 1872
Nupserha apicata FAIRMAIRE, 1891
Nupserha bidentata FABRICIUS, 1792
Nupserha convergens AURIVILLIUS, 1914
Nupserha deusta (DALMAN, 1817)
Nupserha elongata (KOLBE, 1893)
Nupserha fasciata AURIVILLIUS, 1907
Nupserha fricator DALMAN, 1817
Nupserha grisea AURIVILLIUS, 1914
Nupserha homeyeri HAROLD, 1879
Nupserha madurensis PIC, 1926
Nupserha marginella (BATES, 1873)
Nupserha nigriceps GAHAN, 1894
Nupserha nigricornis FISHER, 1935
Nupserha nyassensis AURIVILLIUS, 1914
Nupserha quadrioculata THUNBERG, 1787
Nupserha sexpunctata CHEVROLAT, 1857
Nupserha strigicollis FAIRMAIRE, 1893
Nupserha taliana PIC, 1916
Nupserha tricolor AURIVILLIUS, 1920
Nupserha ustulata ERICHSON, 1834
Nupserha vanrooni AURIVILLIUS, 1916
Nupserha variabilis GAHAN, 1894
Nupserha vitticollis (KOLBE, 1893)
Nupserha yunnanensis BREUNING, 1960
Oberea balineae HELLER, 1915
Oberea birmanica GAHAN, 1894
Oberea ceylonica AURIVILLIUS, 1921
Oberea compta PASCOE, 1867
Oberea consentanea PASCOE, 1867
Oberea curialis PASCOE, 1866
Oberea erythrocephala (SCHRANK, 1776)
Oberea erythrostoma HELLER, 1915
Oberea euphorbiae (GERMAR, 1813)
Oberea ferruginea (THUNBERG, 1787)
Oberea formosana PIC, 1911
Oberea fuscipennis (CHEVROLAT, 1852)
Oberea hebesceus BATES, 1873
Oberea inclusa PASCOE, 1858
Oberea japonica (THUNBERG, 1787)
Oberea jordani AURIVILLIUS, 1923
Oberea keyensis BREUNING, 1962
Oberea lacana PIC, 1923
Oberea laetifica PASCOE, 1867
Oberea linearis (LINNAEUS, 1761)
Oberea lutea (THUNBERG, 1787)
Oberea maculicollis LUCAS, 1842
Oberea mixta BATES, 1873
Oberea mutata PASCOE, 1867
Oberea nefasta PASCOE, 1867
Oberea nigriventris BATES, 1873
Oberea nigrocincta AURIVILLIUS, 1907
Oberea nigrolineata AURIVILLIUS, 1916
Oberea ocellata HALDEMAN, 1847
Oberea oculata (LINNAEUS, 1758)
Oberea ophidiana PASCOE, 1858
Oberea pedemontana CHEVROLAT, 1856
Oberea posticata GAHAN, 1894
Oberea pseudolacana BREUNING, 1956
Oberea pupillata (GYLLENHAL, 1817)
Oberea reslii DEMELT, 1963
Oberea sansibarica HAROLD, 1880
Oberea tricolor AURIVILLIUS, 1924
Oberea tripunctata (SWEDERUS, 1787)
Oberea vittata BLESSIG, 1873
Oberea walkeri GAHAN, 1894
Obereopsis atripennis BREUNING, 1955
Obereopsis kankauensis SCHWARZER, 1925
Obereopsis leptissima BREUNING, 1957
Obereopsis luteicornis BREUNING, 1957
Obereopsis maculithorax MATSUSHITA, 1933
Obereopsis masaica BREUNING, 1950
Obereopsis modica GAHAN, 1894
Obereopsis nigriceps BREUNING, 1957
Obereopsis obscuritarsis CHEVROLAT, 1855
Obereopsis obsoleta CHEVROLAT, 1858
Obereopsis pseudocapensis BREUNING, 1955
Obereopsis quadrinotaticollis BREUNING, 1949
Obereopsis variipes CHEVROLAT, 1858
Oxyilia argentata MENÉTRIÉS, 1832
Oxyilia duponcheli (BRULLÉ, 1832)
Phytoecia affinis (HARRER, 1784)
Phytoecia algerica DESBROCHERS DES LOGES, 1870
Phytoecia angusta AURIVILLIUS, 1914

Phytoecia argus (FRÖLICH, 1793)
Phytoecia bohemani PASCOE, 1858
Phytoecia caerulea (SCOPOLI, 1772)
Phytoecia cinerascens (KRAATZ, 1882)
Phytoecia coerulescens (SCOPOLI, 1763)
Phytoecia cylindrica (LINNAEUS, 1758)
Phytoecia flavescens (BRULLÉ, 1832)
Phytoecia guillei PIC, 1906
Phytoecia hirsutula (FRÖLICH, 1793)
Phytoecia humeralis (WALT, 1838)
Phytoecia ictérica (SCHALLER, 1783)
Phytoecia larvata PASCOE, 1871
Phytoecia longitarsis REITTER, 1911
Phytoecia melanocephala (FABRICIUS, 1787)
Phytoecia merkli (GANGLBAUER, 1884)
Phytoecia millefolii (ADAMS, 1817)
Phytoecia molybdaena (DALMAN, 1817)
Phytoecia nigricornis (FABRICIUS, 1781)
Phytoecia ochraceipennis KRAATZ, 1882
Phytoecia pubescens PIC, 1895
Phytoecia puncticollis FALDERMANN, 1837
Phytoecia puncticollis stygia GANGLBAUER, 1884
Phytoecia pustulata (SCHRANK, 1776)
Phytoecia rubropunctata (GOEZE, 1777)
Phytoecia rufipes (OLIVIER, 1795)
Phytoecia rufiventris GAUTIER, 1870
Phytoecia scutellata (FABRICIUS, 1792)
Phytoecia tigrina (MULSANT, 1851)
Phytoecia tirelli (LUIGIONI, 1913)
Phytoecia uncinata REDTENBACHER, 1842
Phytoecia virgula (CHARPENTIER, 1825)
Phytoecia vittipennis REICHE, 1877
Phytoecia vulneris AURIVILLIUS, 1923
Poecilobactris militaris FAIRMAIRE, 1887
Pseudoblepisanis analis (FABRICIUS, 1781)
Pseudoblepisanis nigriventris (KOLBE, 1893)
Pseudoconizonia basalis GAHAN, 1890
Pteromallosia albolineata (HOPE, 1852)
Schoenionta necydaloidea PASCOE, 1867
Stibara humeralis THOMSON, 1865
Stibara rufina PASCOE, 1858
Stibara tetraspilota HOPE, 1840
Stibara tricolor FABRICIUS, 1793

Pogonocherini

Pogonocherus anatolicus K. DANIEL & J. DANIEL,
 1898
Pogonocherus caroli MULSANT, 1862
Pogonocherus decoratus FAIRMAIRE, 1855
Pogonocherus dimidiatus BLESSIG, 1873
Pogonocherus eugeniae GANGLBAUER, 1891
Pogonocherus fasciculatus (DE GEER, 1775)
Pogonocherus hispidulus (PILLER & MITTERPACHER,
 1783)
Pogonocherus hispidus (LINNAEUS, 1758)

Pogonocherus neuhausi MÜLLER, 1916
Pogonocherus ovatus (GOEZE, 1777)
Pogonocherus perroudi MULSANT, 1839
Pogonocherus sieversi GANGLBAUER, 1886

Pteropliini

Abryna coenosa NEWMAN, 1842
Albana m-griseum (MULSANT, 1846)
Desisa variabilis (SCHWARZER, 1925)
Grammoechus bipartitus RITSEMA, 1890
Mesosella similiola BATES, 1884
Niphona furcata (BATES, 1873)
Niphona picticornis MULSANT, 1839
Pterolophia angusta (BATES, 1873)
Pterolophia annulata (CHEVROLAT, 1845)
Pterolophia caudata (BATES, 1873)
Pterolophia jugosa (BATES, 1873)
Pterolophia leiopodina (BATES, 1873)
Pterolophia rigida (BATES, 1873)
Pterolophia zebrina (PASCOE, 1858)
Pterolophia zonata (BATES, 1873)
Sthenias franciscanus THOMSON, 1865

Saperdini

Cagosima sanguinolenta THOMSON, 1864
Callundine lacordairei THOMSON, 1879
Entelopes griseipennis BREUNING, 1954
Eumecocera argyrosticta (BATES, 1884)
Eumecocera gleneoides (GRESSITT, 1935)
Eumecocera impustulata (MOTSCHULSKY, 1860)
Eumecocera minamii MAKIHARA, 1984
Eumecocera trivittata (BREUNING, 1947)
Eumecocera unicolor KANO, 1933
Eutetrarcha sedecimpunctata MOTSCHULSKY, 1860
Eutetrarcha chrysochloris (BATES, 1879)
Eutetrarcha metallescens MOTSCHULSKY, 1860
Eutetrarcha ocelota (BATES, 1873)
Menesia bipunctata (ZOUBKOFF, 1829)
Menesia discimaculata AURIVILLIUS, 1924
Menesia flavotecta HEYDEN, 1886
Menesia sulphurata (GEBLER, 1825)
Niponostenostola niponensis niponensis (PIC,
 1901)
Niponostenostola niponensis pterocaryai (HAYASHI,
 1960)
Ossonis clytomima PASCOE, 1867
Paraeutetrarcha eximia (BATES, 1884)
Paraeutetrarcha simulans (BATES, 1873)
Paraglenea fortunei (SAUNDERS, 1853)
Paraglenea swinhoei BATES, 1866
Paramenesia kasugensis (SEKI & KOBAYASHI,
 1935)
Paramenesia theaphia (BATES, 1884)
Saperda balsamifera MOTSCHULSKY, 1860
Saperda candida (FABRICIUS, 1787)
Saperda carcharias (LINNAEUS, 1758)

Saperda fayi BLAND, 1863
Saperda inornata SAY, 1823
Saperda interrupta GEBLER, 1825
Saperda lateralis (FABRICIUS, 1775)
Saperda octopunctata (SCOPOLI, 1772)
Saperda perforata (PALLAS, 1773)
Saperda populnea (LINNAEUS, 1758)
Saperda punctata (LINNAEUS, 1758)
Saperda puncticollis SAY, 1824
Saperda scalaris (LINNAEUS, 1758)
Saperda similis LAICHARTING, 1784
Saperda tetrastigma BATES, 1879
Saperda tridentata OLIVIER, 1795
Saperda vestita (SAY, 1824)
Serixia andamanica GARDNER, 1930
Serixia aurulenta PASCOE, 1867
Serixia javanica BREUNING, 1950
Serixia sedata PASCOE, 1862
Stenostola dubia (LAICHARTING, 1784)
Stenostola ferrea (SCHRANK, 1776)
Thyestilla gebleri (FALDERMANN, 1835)

Tetraopini

Tetrops hauseri REITTER, 1897
Tetrops praeustus (LINNAEUS, 1758)
Tetrops starkii (CHEVROLAT, 1859)

Tmesisternini

Sphingnotus mirabilis (BOISDUVAL, 1835)

Xenoleini

Hirtaeschopalaea nubila MATSUSHITA, 1933

Lepturinae

Encyclopini

Encyclops olivaceus BATES, 1884

Enoploiderini

Enoploderes sanguineum FALDERMANN, 1937

Lepturini

Alosterna chalybeella (BATES, 1884)
Alosterna ingraca (BAECKMANN, 1902)
Alosterna tabacicolor (DE GEER, 1775)
Anastrangalia dubia (SCOPOLI, 1763)
Anastrangalia reyi (HEYDEN, 1889)
Anastrangalia sanguinolenta (LINNAEUS, 1761)
Anastrangalia scotodes BATES, 1873
Anastrangalia sequensi REITTER, 1898
Anoplodera excavata (BATES, 1884)
Anoplodera rufipes (SCHALLER, 1783)
Anoplodera sexguttata (FABRICIUS, 1775)
Anoploderomorpha cyanea (GEBLER, 1832)
Anoploderomorpha monticola NAKANE, 1955
Corenmys sanguinea KANO, 1933
Corenmys sericata BATES, 1884
Cornumutilla lineata (LETZNER, 1844)
Dokhtouroffia nebulosa GEBLER, 1845
Ephies japonicus NAKANE & OHBAYASHI, 1961
Etorofus pubescens (FABRICIUS, 1787)

Etorofus vicarius BATES, 1884
Eustrangalis anticereducta HAYASHI, 1958
Eustrangalis distenoides BATES, 1884
Idiostrangalia contracta (BATES, 1884)
Ischnostrangalis davidi (PIC, 1934)
Japanostrangalia dentatipennis (PIC, 1901)
Judolia sexmaculata (LINNAEUS, 1758)
Judolidia kyushuensis KUSAKABE & OHBAYASHI, 1992
Kanekoa azumensis MATSUSHITA & TAMANUKI, 1942
Kanoa granulata BATES, 1884
Leptostrangalia hosohana (OHBAYASHI, 1952)
Leptura aethiops PODA, 1761
Leptura annularis annularis FABRICIUS, 1801
Leptura annularis mimica BATES, 1884
Leptura aurulenta FABRICIUS, 1792
Leptura dimorpha BATES, 1873
Leptura duodecimguttata FABRICIUS, 1801
Leptura latipennis MATSUSHITA, 1933
Leptura modicenotata PIC, 1901
Leptura ochraceofasciata ochraceofasciata MOTSCHULSKY, 1861
Leptura ochraceofasciata ochrotela BATES, 1873
Leptura quadrifasciata LINNAEUS, 1758
Leptura regalis BATES, 1884
Leptura subtilis BATES, 1884
Leptura thoracica CREUTZER, 1799
Lepturalia nigripes DE GEER, 1775
Lepturobosca virens (LINNAEUS, 1758)
Mimostrangalia dulcis (BATES, 1884)
Nivellia sanguinosa (GYLLENHAL, 1827)
Nustera distigma (CHARPENTIER, 1825)
Oedecnema gebleri GANGLBAUER, 1889
Ohbayashia nigromarginata HAYASHI, 1953
Pachytodes cerambyciformis (SCHRANK, 1781)
Pachytodes cometes BATES, 1884
Pachytodes erraticus (DALMAN, 1817)
Pachytodes longipes GEBLER, 1832
Paracorymbia excisipes (K. DANIEL & J. DANIEL, 1891)
Paracorymbia stragulata (GERMAR, 1824)
Paracorymbia tonsa K. DANIEL & J. DANIEL, 1891
Paranaspia anaspidoideis (BATES, 1873)
Parastrangalis lesnei PIC, 1901
Parastrangalis nymphula (BATES, 1884)
Parastrangalis tenuicornis MOTSCHULSKY, 1862
Pedostrangalia emmipoda (MULSANT, 1863)
Pedostrangalia femoralis MOTSCHULSKY, 1860
Pedostrangalia revestita (LINNAEUS, 1767)
Pedostrangalia verticalis (GERMAR, 1822)
Pseudalosterna misella (BATES, 1884)
Pseudovadonia livida (FABRICIUS, 1776)
Pyrrhona laeticolor BATES, 1884

- Rutpela maculata* (PODA, 1761)
Stenurella approximans (ROSENHAUER, 1856)
Stenurella bifasciata (MÜLLER, 1776)
Stenurella jaegeri HUMMEL, 1825
Stenurella melanura (LINNAEUS, 1758)
Stenurella nigra (LINNAEUS, 1758)
Stenurella novercalis REITTER, 1901
Stenurella septempunctata (FABRICIUS, 1792)
Stictoleptura cardinalis (K. DANIEL & J. DANIEL, 1899)
Stictoleptura cordigera (FUESSLY, 1775)
Stictoleptura deyrollei (PIC, 1895)
Stictoleptura dichroa BLANCHARD, 1871
Stictoleptura erythroptera (HAGENBACH, 1822)
Stictoleptura fontenayi (MULSANT, 1839)
Stictoleptura hybrida (REY, 1885)
Stictoleptura igai (TAMANUKI, 1942)
Stictoleptura maculicornis (DE GEER, 1775)
Stictoleptura oblongomaculata (BUQUET, 1840)
Stictoleptura pallens (BRULLÉ, 1832)
Stictoleptura palmi (DEMELT, 1971)
Stictoleptura picticornis (REITTER, 1885)
Stictoleptura pyrrha (BATES, 1884)
Stictoleptura rubra (LINNAEUS, 1758)
Stictoleptura rufa (BRULLÉ, 1832)
Stictoleptura scutellata (FABRICIUS, 1781)
Stictoleptura tesserula (CHARPENTIER, 1825)
Stictoleptura trisignata (FAIRMAIRE, 1852)
Stictoleptura variicornis (DALMAN, 1817)
Strangalia attenuata (LINNAEUS, 1758)
Strangalia fortunei PASCOE, 1858
Strangalia koyaensis MATSUSHITA, 1933
Strangalia maculata PODA, 1761
Strangalia takeuchii MATSUSHITA & TAMANUKI, 1935
Strangalomorpha tenuis SOLSKY, 1873
Vadonia bisignata (BRULLÉ, 1832)
Vadonia imitatrix K. DANIEL & J. DANIEL, 1891
Vadonia moesiaca K. DANIEL & J. DANIEL, 1891
Vadonia steveni (SPERCK, 1835)
Vadonia unipunctata (FABRICIUS, 1787)
Xestoleptura rufiventris GEBLER, 1830
- Oxymirini**
- Oxymirus cursor* (LINNAEUS, 1758)
Oxymirus mirabilis (MOTSCHULSKY, 1838)
- Rhagiini**
- Acmaeops angusticollis* GEBLER, 1833
Acmaeops marginatus FABRICIUS, 1781
Acmaeops septentrionis THOMSON, 1866
Acmaeops smaragdulus FABRICIUS, 1793
Akimerus schaefferi (LAICHARTING, 1784)
Brachyta bifasciata (OLIVIER, 1792)
Brachyta interrogationis (LINNAEUS, 1758)
Brachyta punctata (FALDERMANN, 1833)
- Brachyta variabilis* (GEBLER, 1817)
Cortodera alpina MÉNÉTRIÉS, 1832
Cortodera femorata (FABRICIUS, 1787)
Cortodera flavimana (WALTJ, 1838)
Cortodera holosericea (FABRICIUS, 1801)
Cortodera humeralis (SCHALLER, 1783)
Cortodera umbripennis REITTER, 1890
Cortodera villosa HEYDEN, 1876
Dinoptera anthracina MANNERHEIM, 1849
Dinoptera collaris (LINNAEUS, 1758)
Dinoptera minuta GEBLER, 1832
Evodinus borealis (GYLLENHAL, 1827)
Evodinus clathratus (FABRICIUS, 1792)
Fallacia elegans FALDERMANN, 1837
Gaurotes atripennis (MATSUSHITA, 1933)
Gaurotes virginea (LINNAEUS, 1758)
Gnathacmaeops pratensis (LAICHARTING, 1784)
Gnathacmaeops brachypterus K. DANIEL & J. DANIEL, 1899
Grammoptera abdominalis (STEPHENS, 1831)
Grammoptera auricollis MULSANT & REY, 1863
Grammoptera baudii SAMA, 1985
Grammoptera ruficornis (FABRICIUS, 1781)
Grammoptera ustulata (SCHALLER, 1783)
Japanocorus caeruleipennis BATES, 1873
Lemula decipiens BATES, 1884
Lemula nishimurai SEKI, 1944
Lemula rufithorax PIC, 1901
Pachyta bicuneata MOTSCHULSKY, 1860
Pachyta erebia BATES, 1884
Pachyta lamed (LINNAEUS, 1758)
Pachyta quadrimaculata (LINNAEUS, 1758)
Paragaurotus doris BATES, 1884
Paragaurotus ussuriensis BLESSIG, 1873
Pidonia amentata (BATES, 1884)
Pidonia bouvieri PIC, 1901
Pidonia debilis KRAATZ, 1879
Pidonia discoidalis PIC, 1901
Pidonia grallatrix BATES, 1884
Pidonia insuturata PIC, 1901
Pidonia limbaticollis ohbayashii (MATSUSHITA, 1933)
Pidonia lurida (FABRICIUS, 1792)
Pidonia maculithorax (PIC, 1901)
Pidonia masakii HAYASHI, 1955
Pidonia miwai (MATSUSHITA, 1933)
Pidonia puziloi (SOLSKY, 1873)
Pidonia semiobscura PIC, 1901
Pidonia signifera BATES, 1884
Pseudogaurotina excellens (BRANCSIK, 1874)
Pseudosieversia japonica (OHYASHI, 1937)
Rhagium bifasciatum FABRICIUS, 1775
Rhagium fasciculatum FALDERMANN, 1837
Rhagium heyrovskyi PODANÝ, 1964

Rhagium inquisitor (LINNAEUS, 1758)
Rhagium mordax (DE GEER, 1775)
Rhagium sycophanta (SCHRANK, 1781)
Stenocorus amurensis KRAATZ, 1879
Stenocorus insitivus (GERMAR, 1824)
Stenocorus meridianus (LINNAEUS, 1758)
Stenocorus quercus (GÖTZ, 1783)
Stenocorus validicornis univittatus (REITTER, 1914)

Toxotinus reini (HEYDEN, 1879)

Rhamnusiini

Rhamnusium bicolor bicolor (SCHRANK, 1781)
Rhamnusium bicolor demagii TIPPMMANN, 1956

Sachalinobiini

Sachalinobia koltzei HEYDEN, 1887

Xylosteini

Xylosteus bartoni OBENBERGER & MAŘAN, 1933

Parandrinae

Parandrini

Parandra caspia MÉNÉTRIÉS, 1832
Parandra brunnea (FABRICIUS, 1798)

Philinae

Philini

Mantitheus pekinensis FAIRMAIRE, 1889

Prioninae

Aegosomatini

Aegosoma scabricorne (SCOPOLI, 1763)
Aegosoma sinicum (WHITE, 1853)
Megopis marginale (FABRICIUS, 1775)
Nepiodes costipennis WHITE, 1853

Anacolini

Psephactus remiger HAROLD, 1879

Callipogonini

Callipogon relictus (SEMENOV, 1899)

Ergatini

Ergates faber (LINNAEUS, 1760)

Eurypodini

Eurypoda batesi GAHAN, 1894

Macrotomini

Bandar pascoei pascoei (LANSBERGE, 1884)
Bandar pascoei formosae GRESSITT, 1938
Prinobius myardi MULSANT, 1842
Rhaesus serricollis (MOTSCHULSKY, 1838)
Xixuthrus microcerus WHITE, 1853

Meroscelisini

Tragosoma depsarium (LINNAEUS, 1767)

Prionini

Dorysthenes buqueti GUÉRIN-MÉNEVILLE, 1844
Dorysthenes hydropicus PASCOE, 1857
Lobarthron balassogloi (JAKOVLEV, 1885)
Mesoprionus angustatus (JAKOVLEV, 1887)
Microarthron komaroffi (DOHRN, 1885)
Pogonarthron bedeli (SEMENOV, 1900)
Prionomma orientalis OLIVIER, 1795

Prionus besikanus FAIRMAIRE, 1855
Prionus coriarius (LINNAEUS, 1758)
Prionus insularis MOTSCHULSKY, 1858
Prionus sejunctus HAYASHI, 1959
Prionus yakushimanus OHBAYASHI, 1964
Prietyrranus closteroides (THOMSON, 1877)
Pseudoprionus bienerti (HEYDEN, 1885)
Psilotarsus brachypterus (GEBLER, 1830)
Psilotarsus turkestanicus (SEMENOV, 1888)
Trichohammus granulatus (THOMSON, 1860)

Spondylidinae

Anisarthrini

Alocerus moesiacus (FRIVALDSZKY, 1837)
Anisarthron barbipes (SCHRANK, 1781)

Asemmini

Arhopalus rusticus (LINNAEUS, 1758)
Arhopalus syriacus (REITTER, 1895)
Asemum striatum (LINNAEUS, 1758)
Cephalallus unicolor (GAHAN, 1906)
Megasemum quadricostulatum KRAATZ, 1879
Nothorhina punctata FABRICIUS, 1798
Tetropium castaneum (LINNAEUS, 1758)
Tetropium fuscum (FABRICIUS, 1787)
Tetropium gabrieli WEISE, 1905
Tetropium gracilicorne REITTER, 1889

Atimiini

Atimia okayamensis HAYASHI, 1972

Saphanini

Oxypleurus nodieri MULSANT, 1839
Saphanus piceus ganglbaueri BRANCSIK, 1886
Saphanus piceus piceus (LAICHARTING, 1784)

Spondylidini

Spondylis buprestoides (LINNAEUS, 1758)

Disteniidae

Disteniini


Distenia gracilis BLESSIG, 1872
Tengius kurosawai MAKIHARA, 1986
Tengius ohkuboi MATSUSHITA, 1938

Vesperidae

Vesperus conicicollis FAIRMAIRE & COQUEREL, 1866
Vesperus fuentei PIC, 1905
Vesperus luridus (ROSSI, 1794)
Vesperus strepens (FABRICIUS, 1792)
Vesperus xatarti MULSANT, 1839

Leaf-rolling weevils in the PLUCIŃSKI Collection

The Rhynchitidae and Attelabidae collection (Table 2, Figs 3-8) comprises 2346 specimens of 308 identified species and subspecies. They come mostly from Europe and Asia (particularly South-East and Japan), but unlike cerambycid collection, African (incl. Madagascar) and American species are also relatively well represented. The family Rhynchitidae is represented by 1000 specimens of 106 species and subspecies, while Attelabidae by 1346 specimens (975 Apoderinae and 371 Attelabinae) of 202 species and subspecies. Tribes Rhynchitini and Apoderini are especially species-rich in the PLUCIŃSKI Collection. The detailed list of taxa is given below.



2-3. Specimens of Attelabidae (examples of Hoplapoderini) from the PLUCIŃSKI Collection

Rhynchitidae**Rhynchitinae****Auletini***Aletinus akinini* (FAUST, 1885)*Aletinus maculipennis* (JACQUELIN DU VAL, 1854)*Auletes tubicen* BOHEMAN, 1829*Auletobius irkutensis* FAUST, 1893*Auletobius sanguisorbae* (SCHRANK, 1798)*Eomesauletes politus* (LEPELETIER & AUDIENT-SERVILLE, 1825)*Eurostauletes rubrorufus* (SOLSKY, 1880)*Hamiltoniauletes cassandrae* (LECONTE, 1876)*Mesauletobius pubescens* (KIESENWETTER, 1851)*Pseudauletes luceus* (GYLLENHAL, 1839)*Pseudomesauletes uniformis* (ROELOFS, 1874)**Bytiscini***Aspidobyctiscus clavicornis* (PASCOE, 1875)*Aspidobyctiscus coerulans* (VOSS, 1929)*Aspidobyctiscus lacunipennis* (JEKEL, 1860)*Aspidobyctiscus paviei* (AURIVILLIUS, 1891)*Byctiscus betulae* (LINNAEUS, 1758)*Byctiscus congener* JEKEL, 1860*Byctiscus fausti* SHARP, 1889*Byctiscus impressus* (FAIRMAIRE, 1900)*Byctiscus populi* (LINNAEUS, 1758)*Byctiscus princeps* (SOLSKY, 1872)*Byctiscus rugosus* (GEBLER, 1830)*Byctiscus venustus* (PASCOE, 1875)*Listrobyctiscus corvinus* (PASCOE, 1885)*Nelistrobyctiscus gagates* (PASCOE, 1875)**Deporaini***Caenorhinus glastinus* (LECONTE, 1857)*Caenorhinus mannerheimii* (HUMMEL, 1823)*Caenorhinus marginatus* (PASCOE, 1883)*Capylarodepus klapperichi* (VOSS, 1941)*Chokkirius truncatus* (SHARP, 1889)*Chonostropheus chujoi* VOSS, 1956*Chonostropheus seminiger* (REITTER, 1881)*Chonostropheus tristis* (FABRICIUS, 1794)*Deporaus affectatus* FAUST, 1887*Deporaus betulae* (LINNAEUS, 1758)*Deporaus bicolor* (VOSS, 1938)*Deporaus unicolor* (ROELOFS, 1874)*Exrhynchites puberulus* (FAUST, 1895)*Paradeporaus depressus* (FAUST, 1882)

5-8. Examples of spectacular Attelabidae specimens from the PLUCIŃSKI Collection. *Echinapoderus enoplus* (BRANCNIK) (5), *Lagenoderus gnomoides* WHITE (6), *Cynotrachelus flavotuberosus* (JEKEL) (7), *Lamprolabus spiculatus* (BOHEMAN) (8)

Eugnamptini

- Aderorhinus crioceroides* (ROELOFS, 1874)
Aderorhinus pedicellaris VOSS, 1939
Chryseugnampus flavinasus (BOHEMAN, 1845)
Eugnambtobius aurifrons (ROELOFS, 1874)
Eugnambtobius flavipes (SHARP, 1889)
Neoeugnampus amurensis (FAUST, 1882)
Neoeugnampus bimaculosus (VOSS, 1939)
Neoeugnampus hirsutus (VOSS, 1924)

Rhynchitini

- Ameroinvolvulus scutellaris* (SHARP, 1889)
Amerorhynchites aeneus (BOHEMAN, 1829)
Amerorhynchites eximius (LECONTE, 1876)
Amerorhynchites mexicanus (GYLLENHAL, 1833)
Amerorhynchites obscuricolor (VOSS, 1938)
Amerorhynchites planifrons (LECONTE, 1876)
Amerorhynchites pseudomexicanus (HAMILTON, 1974)
Amerorhynchites quadripennis (FALL, 1929)
Amerorhynchites subauratus (SHARP, 1889)
Auletomorphus cupidio (PASCOE, 1875)
Auletomorphus tonkinensis (VOSS, 1924)
Clinorhynchidius flexirostris (VOSS, 1938)
Cneminvolvulus gensanensis (VOSS, 1920)
Cneminvolvulus rugosicollis (VOSS, 1920)
Cyllorhynchites cumulatus (VOSS, 1930)
Cyllorhynchites kawiensis (HARTMANN, 1899)
Cyllorhynchites ursulus (ROELOFS, 1874)
Involvulus amabilis (ROELOFS, 1874)
Involvulus caeruleus (DEGEER, 1775)
Involvulus cupreus (LINNAEUS, 1758)
Involvulus pilosus (ROELOFS, 1874)
Involvulus placidus (SHARP, 1889)
Involvulus pubescens (FABRICIUS, 1775)
Lasiorrhynchites brevirostris (ROELOFS, 1874)
Lasiorrhynchites caeruleocephalus (SCHALLER, 1783)
Lasiorrhynchites cavifrons (GYLLENHAL, 1833)
Lasiorrhynchites olivaceus (GYLLENHAL, 1833)
Lasiorrhynchites praeustus (BOHEMAN, 1845)
Lasiorrhynchites sericeus (HERBST, 1797)
Mecorhis aethiops (BACH, 1854)
Mecorhis pilositesellata (VOSS, 1922)
Mecorhis plumbea (ROELOFS, 1874)
Mecorhis ungarica (HERBST, 1783)
Merhynchites bicolor (FABRICIUS, 1775)
Merhynchites wickhami (COCKERELL, 1912)
Neocoenorrhinus abeillei (DESBROCHERS, 1869)
Neocoenorrhinus assimilis (ROELOFS, 1874)
Neocoenorrhinus germanicus (HERBST, 1797)
Neocoenorrhinus interpunctatus (STEPHENS, 1831)
Neocoenorrhinus interruptus (VOSS, 1920)
Neocoenorrhinus minutus (HERBST, 1797)
Neocoenorrhinus pauxillus (GERMAR, 1824)

- Perrhynchites aereipennis* (DESBROCHERS, 1895)
Rhodocyrtus cribripennis (DESBROCHERS, 1869)
Rhynchites auratus (SCOPOLI, 1763)
Rhynchites bacchus (LINNAEUS, 1758)
Rhynchites fulgidus FALDERMANN, 1835
Rhynchites giganteus SCHOENHERR, 1832
Rhynchites heros ROELOFS, 1874
Rhynchites lenaeus FAUST, 1891
Rhynchites smyrnensis DESBROCHERS, 1869
Tatianaerhynchites aequatus (LINNAEUS, 1767)
Temnocerus aureus (LECONTE, 1876)
Temnocerus coeruleus (FABRICIUS, 1798)
Temnocerus dilatatoris HAMILTON, 1971
Temnocerus levirostris (FALL, 1929)
Temnocerus longiceps (C. G. THOMSON, 1888)
Temnocerus nanus (PAYKULL, 1792)
Temnocerus semicyaneus (BEDEL, 1884)

Attelabidae**Apoderinae****Apoderini**

- Anisonychus atropterus* (VOSS, 1927)
Anisonychus cinchonae (ROEPKE, 1911)
Anisonychus melanopterus (WIEDEMANN, 1819)
Anisonychus rugosus (VOSS, 1927)
Apoderus coryli (LINNAEUS, 1758)
Apoderus jekelii ROELOFS, 1874
Apoderus rugicollis SCHILSKY, 1906
Borneocorynus fenestratus (HELLER, 1908)
Centrocorynus rufulus VOSS, 1929
Centrocorynus scutellaris (GYLLENHAL, 1833)
Compsapoderus dimidiatus (FAUST, 1890)
Compsapoderus erythropterus (GMELIN, 1790)
Compsapoderus foveipennis (SUFFERIAN, 1870)
Compsapoderus geminus (SHARP, 1889)
Compsapoderus lepidulus (VOSS, 1927)
Compsapoderus papei (VOSS, 1927)
Cycnotrachelodes camphoricola (VOSS, 1924)
Cycnotrachelodes coeruleatus (FAUST, 1895)
Cycnotrachelodes cyanopterus (MOTSCHULSKY, 1861)
Cycnotrachelodes roelofsi (HAROLD, 1877)
Cycnotrachelus flavoguttatus VOSS, 1929
Cycnotrachelus flavotuberosus (JEKEL, 1860)
Echinapoderus enoplus (BRANCSIK, 1893)
Echinapoderus horridulus (BOHEMAN, 1845)
Echinapoderus kilimanus (AURIVILLIUS, 1910)
Echinapoderus partialis VOSS, 1929
Echinapoderus ugandensis VOSS, 1926
Hamiltonius notatus (FABRICIUS, 1792)
Hamiltonius sexguttatus (VOSS, 1927)
Hamiltonius trinotatus (FAUST, 1883)
Heterapoderus bicallosicollis (VOSS, 1932)
Heterapoderus brachialis (VOSS, 1924)

Heterapoderus cantonensis (VOSS, 1927)
Heterapoderus crenatus (JEKEL, 1860)
Heterapoderus geniculatus (JEKEL, 1860)
Heterapoderus interpositus KESSEL in litt.
Heterapoderus pauperulus (VOSS, 1927)
Heterapoderus pullus (JEKEL, 1860)
Heterapoderus sulcicollis (JEKEL, 1860)
Leptapoderus affinis (SCHILSKY, 1906)
Leptapoderus balteatus (ROELOFS, 1874)
Leptapoderus basalis (JEKEL, 1860)
Leptapoderus carbonicolor (MOTSCHULSKY, 1860)
Leptapoderus collaris (JEKEL, 1860)
Leptapoderus nigroapicatus (JEKEL, 1860)
Leptapoderus praecellens (SHARP, 1889)
Leptapoderus quadripunctatus (GYLLENHAL, 1833)
Leptapoderus rubidus (MOTSCHULSKY, 1860)
Leptapoderus rufobasalis (HELLER, 1908)
Leptapoderus rufus (FABRICIUS, 1801)
Leptapoderus sejugatus (VOSS, 1924)
Leptapoderus sinicus (VOSS, 1927)
Leptapoderus submaculatus (VOSS, 1927)
Opanassenkovius verrucosus (PASCOE, 1881)
Paracynotrachelus chinensis (JEKEL, 1860)
Paracynotrachelus collaris (JEKEL, 1860)
Paracynotrachelus consimilis VOSS, 1929
Paracynotrachelus curvaticeps (PIC, 1932)
Paracynotrachelus cygneus (FABRICIUS, 1801)
Paracynotrachelus longiceps (MOTSCHULSKY, 1860)
Paracynotrachelus moluccarum VOSS, 1929
Paracynotrachelus montanus (JEKEL, 1860)
Paracynotrachelus nietneri (JEKEL, 1860)
Paracynotrachelus rufobasalis (HELLER, 1908)
Paracynotrachelus wallacei (FAUST, 1890)
Paratrachelophorus brachmanus VOSS, 1924
Paratrachelophorus longicornis (ROELOFS, 1874)
Paratrachelophorus nodicornis VOSS, 1924
Philippinocorynus sejunctus (FAUST, 1883)
Physapoderus aemulus (FAUST, 1894)
Physapoderus biguttatus (FABRICIUS, 1801)
Physapoderus bilineatus (FAUST, 1883)
Physapoderus crucifer (HELLER, 1922)
Physapoderus flavotorosus (FAUST, 1898)
Physapoderus gracilicornis (VOSS, 1929)
Physapoderus proximus (VOSS, 1929)
Physapoderus ruficlavis (VOSS, 1929)
Pseudocynotrachelus ledyardi (HELLER, 1915)
Strigapoderus indicus (HELLER, 1908)
Strigapoderus javanicus (JEKEL, 1860)
Strigapoderus tranquebaricus (FABRICIUS, 1798)

Clitostyliini

Allapoderus cyaneovirens (JEKEL, 1860)
Allapoderus dentipes (FAUST, 1883)
Maculphrysus inspersus (VOSS, 1929)

Maculphrysus quadrimaculatus (FALDERMANN, 1835)

Morphocorynus nigricollis (ROELOFS, 1874)

Pseudophrysus parvulus (VOSS, 1928)

Hoplapoderini

Homapoderus anxius (FAUST, 1894)
Hoplapoderus calliginosus (FAUST, 1894)
Hoplapoderus echinatus (GYLLENHAL, 1833)
Hoplapoderus gemmatus (THUNBERG, 1784)
Hoplapoderus gemmosus (JEKEL, 1860)
Hoplapoderus hystrix (FABRICIUS, 1801)
Paroplapoderus amoenus VOSS, 1926
Paroplapoderus armatus VOSS, 1926
Paroplapoderus bistriospinosus (FAUST, 1894)
Paroplapoderus bituberculatus VOSS, 1926
Paroplapoderus breviceps VOSS, 1926
Paroplapoderus coniceps VOSS, 1926
Paroplapoderus doriae (PASCOE, 1885)
Paroplapoderus fallax (GYLLENHAL, 1839)
Paroplapoderus fasciatus VOSS, 1928
Paroplapoderus pardalis (SNELLEN VAN Vollenhoven, 1865)
Paroplapoderus semiannulatus (JEKEL, 1860)
Paroplapoderus spiniferus (ROELOFS, 1880)
Paroplapoderus tentator (FAUST, 1895)
Paroplapoderus turbidus VOSS, 1926
Paroplapoderus validus VOSS, 1926
Paroplapoderus vanvolxemi (ROELOFS, 1875)
Paroplapoderus vitticeps (JEKEL, 1860)
Phymatopoderus flavimanus (MOTSCHULSKY, 1860)
Phymatopoderus latipennis (JEKEL, 1860)
Phymatopoderus subornatus (SHARP, 1889)
Rhamnapoderus dumosus (GYLLENHAL, 1839)
Rhamnapoderus sinifer (FAHRAEUS, 1871)
Rhamnapoderus spiculosus (JEKEL, 1860)
Rhamnapoderus verticalis VOSS, 1926
Strigapoderopsis submarginatus (GYLLENHAL, 1839)

Tomapoderus coeruleipennis (SCHILSKY, 1903)

Tomapoderus ruficollis (FABRICIUS, 1781)

Tomapoderus subconicollis VOSS, 1926

Trachelophorini

Madagasocynelus elegans (VOSS, 1929)
Madagasocynelus humeralis (OLIVIER, 1807)
Metriotrachelus festivus (KLUG, 1833)
Trachelophoridius flavicornis (GYLLENHAL, 1839)
Trachelophoridius tamatavoensis VOSS, 1929
Trachelophorus abdominalis (GYLLENHAL, 1839)
Trachelophorus ardea (GYLLENHAL, 1839)
Trachelophorus fausti VOSS, 1929
Trachelophorus giraffa (JEKEL, 1860)
Trachelophorus madegassus (HUSTACHE, 1922)
Trachelophorus signatus VOSS, 1929
Vossitrachelophorus limbatus (FAUST, 1889)

Attelabinae**Attelabini**

- Attelabus cyanellus* VOSS, 1925
Attelabus nitens (SCOPOLI, 1763)
Attelabus sulcifrons (ARGOD-VALLON, 1895)
Catalabus quadriplagiatus VOSS, 1953
Cyrtolabus christophi (FAUST, 1884)
Cyrtolabus mutus (FAUST, 1890)
Henicolabus giganteus (FAUST, 1882)
Henicolabus gigantoides (VOSS, 1925)
Henicolabus hypomelas (FAIRMAIRE, 1878)
Henicolabus lewisi (SHARP, 1889)
Henicolabus octomaculatus (JEKEL, 1860)
Henicolabus simplex VOSS, 1925
Humerilabus fausti (VOSS, 1925)
Isolabus indigaceus (PASCOE, 1883)
Isolabus jekeli LEGALOV, 2002
Isolabus magnus VOSS, 1925
Lamprolabus bihastatus (FRIVALDSZKY, 1892)
Lamprolabus bispinosus (GYLLENHAL, 1833)
Lamprolabus gestroi (FAUST, 1894)
Lamprolabus spiculatus (BOHEMAN, 1845)
Lamprolabus trapezicollis (HELLER, 1922)
Omolabus centomyrciae (VOSS, 1925)
Omolabus corvinus (GYLLENHAL, 1839)
Omolabus laesicollis (GYLLENHAL, 1839)
Omolabus nitidus (FABRICIUS, 1801)
Paramecolabus discolor (FAHRAEUS, 1839)
Paramecolabus feae (FAUST, 1894)
Phialodes rufipennis ROELOFS, 1874
- Euopini**
- Euops championi* VOSS, 1929
Euops chinensis VOSS, 1922
Euops cuprinus VOSS, 1956
Euops elongatus VOSS, 1925
Euops guineensis VOSS, 1922
Euops lespedezae koreanus SAWADA & MORIMOTO, 1985
Euops lespedezae lespedezae SHARP, 1889

- Euops punctatostriatus* (MOTSCHULSKY, 1860)
Euops pustulosus SHARP, 1889
Euops splendidus VOSS, 1930
Euops togoensis FAUST, 1895
Euops viridifuscus VOSS, 1922

Euscelini

- Clinolabus buqueti* (JEKEL, 1860)
Clinolabus melanocoryphus (GERMAR, 1824)
Eleuscelus lineatus (VOSS, 1925)
Emphyleuscelus corallinus (GYLLENHAL, 1839)
Euscelus mundanus (SHARP, 1889)
Euscelus peruanus VOSS, 1925
Euscelus scutellatus (KLUG, 1829)

Euscelophilini

- Calolabus cupreus* (ROELOFS, 1874)
Euscelophilus burmanus MARSHALL, 1948
Euscelophilus camelus VOSS, 1937
Euscelophilus chinensis (SCHILSKY, 1906)
Euscelophilus gibbicollis (SCHILSKY, 1906)
Trachelolabus floridus (ZHANG, 1993)

Hybolabini

- Heterolabus fabricii* LEGALOV, 2002
Himatolabus axillaris (GYLLENHAL, 1839)
Himatolabus rhois (BOHEMAN, 1829)
Homoeolabus analis (ILLIGER, 1794)
Hybolabus ater (OLIVIER, 1789)
Hybolabus columbinus (ERICHSON, 1848)
Hybolabus cyaneus (KLUG, 1825)
Hybolabus peruanus VOSS, 1925
Synolabus bipustulatus (FABRICIUS, 1776)

Lagenoderini

- Lagenoderus gnomoideus* WHITE, 1840
Phymatopsinus pustula (ANCEY, 1881)
Pleurolabus algoensis (PÉRINGUEY, 1888)
Pleurolabus costulatus (JEKEL, 1860)
Scotopsinus verrucifer (JEKEL, 1860)

Pilolabini

- Pseudopilolabus sumptuosus* (GORY, 1834)
Pseudopilolabus viridans (GYLLENHAL, 1839)

REFERENCES

- BURCZYK, B. 1999. Ś.p. Janusz PLUCIŃSKI. Pryzmat, 7.
 LÖBL I., SMETANA A. (ed.), 2010. Catalogue of Palaearctic Coleoptera. Vol. 6: Chrysomeloidea. Apollo Books, 924 pp.

